ELSEVIER

Discrete Mathematics 261 (2003) 459–461

DISCRETE MATHEMATICS

www.elsevier.com/locate/disc

Author index to volume 261

Abel, R.J.R., N.J. Finizio and M. Greig, (3,6) GWhD(v)—existence results (1–3) 3– 26
Aldred, R.E.L., J. Širáň and M. Širáň, A note on the number of graceful labellings of paths (1–3) 27– 30
Anderson, I. and D.A. Preece, Power-sequence terraces for $\mathbb{Z}_n$ where n is an odd prime power (1–3) 31– 58

Batten, L.M. and S. Sane, Permutations with a distinct difference property (1–3) 59– 67
Bennett, F.E., B. Du and H. Zhang, Existence of self-orthogonal diagonal Latin squares with a missing subsquare (1–3) 69– 86
Billington, E.J. and D.G. Hoffman, Decomposition of complete tripartite graphs into gregarious 4-cycles (1–3) 87–111
Buratti, M. and A. Del Fra, Existence of cyclic k-cycle systems of the complete graph (1–3) 113–125

Chang, Y. and Y. Miao, Constructions for optimal optical orthogonal codes (1–3) 127–139
Colbourn, C.J. and A.C.H. Ling, Graph decompositions with application to wavelength add-drop multiplexing for minimizing SONET ADMs (1–3) 141–156

Danziger, P. and E. Mendelsohn, Bicolour graphs of Steiner triple systems (1–3) 157–176
Dejter, I.J., Equitable factorizations of Hamming shells (1–3) 177–187
Del Fra, A., see M. Buratti (1–3) 113–125
Deng, D., M. Greig and P.R.J. Östergård, More c-Bhaskar Rao designs with small block size (1–3) 189–208
Deng, D., R. Rees and H. Shen, On the existence and application of incomplete nearly Kirkman triple systems with a hole of size 6 or 12 (1–3) 209–233
de Resmini, M.J. and D. Jungnickel, Two infinite families of failed symmetric designs (1–3) 235–241
Dinitz, J.H., E.R. Lamken and A.C.H. Ling, Complementary partial resolution squares for Steiner triple systems (1–3) 243–254
Du, B., see F.E. Bennett (1–3) 69– 86

Finizio, N.J., see R.J.R. Abel (1–3) 3– 26
Forbes, A.D., M.J. Grannell and T.S. Griggs, On colourings of Steiner triple systems (1–3) 255–276

Grannell, M.J., see A.D. Forbes (1–3) 255–276
Gray, B.D., R. Mathon, T. Moran and A.P. Street, The spectrum of minimal defining sets of some Steiner systems (1–3) 277–284
Gray, I.D., J. MacDougall, J.P. McSorley and W.D. Wallis, Vertex-magic labeling of trees and forests (1–3) 285–298
Greig, M. and D.H. Rees, Existence of balanced incomplete block designs for many sets of treatments (1–3) 299–324
Greig, M., see D. Deng (1–3) 189–208
Greig, M., see R.J.R. Abel (1–3) 3– 26
Griggs, T.S., see A.D. Forbes (1–3) 255–276

0012-365X/03/$ - see front matter
PII: S0012-365X(02)00847-6

Hoffman, D.G., C.C. Lindner and C.A. Rodger, A partial $2k$-cycle system of order n can be embedded in a $2k$-cycle system of order $kn + c(k), k \geq 3$, where $c(k)$ is a quadratic function of k (1–3) 325–336
Hoffman, D.G., see E.J. Billington (1–3) 87–111
Hurd, S.P. and D.G. Sarvate, An application of partition of indices to enclosings of triple systems (1–3) 337–346

Ji, L. and L. Zhu, Constructions for Steiner quadruple systems with a spanning block design (1–3) 347–360
Jungnickel, D. and L. Storme, Maximal partial spreads in PG(3, 4) and maximal sets of mutually orthogonal latin squares of order 16 (1–3) 361–371
Jungnickel, D., see M.J. de Resmini (1–3) 235–241

Kreher, D.L., A.C.H. Ling, R.S. Rees and C.W.H. Lam, A note on {4}-GDDs of type 2^{10} (1–3) 373–376

Lam, C.W.H., see D.L. Kreher (1–3) 373–376
Lamken, E.R., see J.H. Dinitz (1–3) 243–254
Lindner, C.C., see D.G. Hoffman (1–3) 325–336
Ling, A.C.H., An application of splittable 4-frames to coloring of $K_{n,n}$ (1–3) 377–382
Ling, A.C.H., see C.J. Colbourn (1–3) 141–156
Ling, A.C.H., see D.L. Kreher (1–3) 373–376
Ling, A.C.H., see J.H. Dinitz (1–3) 243–254
Liu, Z. and H. Shen, Embeddings of almost resolvable triple systems (1–3) 383–398

MacDougall, J., see I.D. Gray (1–3) 285–298
Mathon, R., see B.D. Gray (1–3) 277–284
McSorley, J.P., see I.D. Gray (1–3) 285–298
Mendelsohn, E., see P. Danziger (1–3) 157–176
Miao, Y., see Y. Chang (1–3) 127–139
Milazzo, L., Z. Tuza and V. Voloshin, Strict colorings of Steiner triple and quadruple systems: a survey (1–3) 399–411
Moran, T., see B.D. Gray (1–3) 277–284

Östergård, P.R.J., see D. Deng (1–3) 189–208

Preece, D.A., see I. Anderson (1–3) 31– 58

Quattrocchi, G., Embedding handcuffed designs in D-designs, where D is the triangle with attached edge (1–3) 413–434

Rees, D.H., see M. Greig (1–3) 299–324
Rees, R., see D. Deng (1–3) 209–233
Rees, R.S., see D.L. Kreher (1–3) 373–376
Rodger, C.A., see D.G. Hoffman (1–3) 325–336

Sane, S., see L.M. Batten (1–3) 59– 67
Sarvate, D.G., see S.P. Hurd (1–3) 337–346
Shalaby, N., The existence of near-Rosa and hooked near-Rosa sequences (1–3) 435–450
Shen, H., see D. Deng (1–3) 209–233
Shen, H., see Z. Liu (1–3) 383–398
Širáň, J., see R.E.L. Aldred (1–3) 27– 30
Širáň, M., see R.E.L. Aldred (1–3) 27– 30

Storme, L., see D. Jungnickel (1–3) 361–371
Street, A.P., see B.D. Gray (1–3) 277–284

Tuza, Z., see L. Milazzo (1–3) 399–411

Voloshin, V., see L. Milazzo (1–3) 399–411

Wallis, W.D., see I.D. Gray (1–3) 285–298

Yin, J., A new proof of a Colbourn–Rosa problem (1–3) 451–458

Zhang, H., see F.E. Bennett (1–3) 69– 86
Zhu, L., see L. Ji (1–3) 347–360